

Page 1 of 1

All amounts are calculated in domestic currency.

Receipt Dates from 12/9/2016 to 12/9/2016

Total Received Quantity:	197.3300
Total Qty to Inspect (PO U/M):	0.0000
Total Reject Quantity:	0.0000
Total Receipt Value:	\$605.48
Total Balance Due Quantity:	0.0000

METAUX SOLUTIONS INC
2625 BOUL JACQUES CARTIER EST
LONGUEUIL, QUEBEC
J4N 1L7 **Tel. : 450 641-3330**

Shipping Order

08/12/2016

Order : 121177
Reference : 34493
Bid : 20747
Ship : PICK UP / PICK UP

Customer : 6323336

DART AEROSPACE LTD
1270, ABERDEEN STREET
HAWKESBURY, ONTARIO
K6A 1K7

Ship To

Same

Tel. : 1 613 632-3336

Item No.	Description	Qty	Qty. Deliver	B/O Qty
	***** FACTURER E-MAIL ***** SUPER IMPORTANT SUR LE PACKING SLIP INSCRIRE LES HEAT N			
	***** FACTURER E-MAIL ***** SUPER IMPORTANT SUR LE PACKING SLIP INSCRIRE LES HEAT N			
	***** FACTURER E-MAIL ***** SUPER IMPORTANT SUR LE PACKING SLIP INSCRIRE LES HEAT N			
SF14124 ✓	304 FLA .250 X .500 ✓ 10 x 13.33' ht: 56900655	133.33	✓ 133.33	✓
SR34174	17-4PH ROU .750 DIA CON. H900 3 X 48" ht;	12	✓ 12	12
CS18G ✓	MS SHE 18G COLD ROLL 1008 (.050) 2 X 4' X 8' ht: 152C04272	64	✓ 64	0

ship journey
jp

Sd/b-12-12

Shipping : _____ **Ref.** : _____
Package No : _____
Merchandise Received: _____

BOLLINGHAUS
STEELBollinghaus Steel, SA
DIN EN ISO 9001:2008
TÜV CERT No. 01 100 030458

Abnahmeprüfzeugnis/Mill Test Certificate/Certif. de Qualidade

EN 10204:2004 / 3.1

No.: / Nr.: / Nro.:

0000118911

Unsere Innere Verweisung / Our Int. Ref / N° ref int

5800031581 000040

Datum / Date / Data

26.09.2016

Normen / Standards / Normas

TYPE 304/UNS S30400 and TYPE 304L/UNS S30403 acc. to ASTM A479/A479M-16, A278/A278M-16a, SAE-AMS-QQ-S 763D, AMS5638H, AMS5647J, ASME SA479/SA479M, ASME SA278, ASTM A182/A182M-16a F304/304L, A193/A193M-16 CL 1Gr.B8, ASTM A314-15, ASTM A320/A320M-16a, DOD-F2489B/6, ASME SA182/SA182M, ASME SA 193/SA193M, ASME SA320 CL 1Gr.B8, ASTM A262-15 Practice E, grain size as per ASTM E112, NACE MR 0175, Mercury free statement, not weld repair statement, contents of N, Co, Mo and Cu, in hot rolled, solution annealed, pickled, straightened execution as per ASTM A484/A484M-16.

Kunde / Customer / Cliente

Endgültiger Kunde / Final Customer / Cliente Final

Bestell Nr./Order Nr./Enc.Nr. C105024

Bestell Nr./Order Nr./Enc.Nr. C105024.01

Produktgruppe / Product Group / Grupo Produto

Gewicht / Weight / Peso

Bunde / Bundles / Atados

AISI 304/L FLAT 1/4 X 1/2"

1.059 lb

01

Werkstoff-Nr.
Material no.
Qualidade 1.4307

Werkstoff-Normbezeichnung / Material standard grade / Norma do material

X 2 CrNi 18-9

Beschreibung / Description / Descrição

Stainless steel flat bar, hot rolled, solution annealed, straightened, pickled.
US DRAR 262 225 7000 MELT SOURCE: United Kingdom / MFG: Portugal.

Chemische Analyse in % / Chemical composition in % / Análise química em %

C	0.030	Si	0.228	Mn	1.830	P	0.030	S	0.026	Cr	18.100	Ni	8.100
Mo	0.430	Co	0.205	Cu	0.298	N	0.084	Ti	0.003	Nb	0.021	Al	0.006

ASTM E399

ASTM A370

Kerbschlagarbeit Impact Test Resiliência	Streckgrenze Yield point Tensão limite	Dehngrenze 1% point Limite de extensão	Zugfestigkeit Tensile strength Tensão de rotura	Dehnung Elongation Alongamento	Einschnürung Reduction of area Coef. Estricção
(Charpy V)	Rp 0.2 %	Rp 1.0 %	Rm	A5	Z
[J]	[Ksi]	[Ksi]	[Ksi]	[%]	[%]
4082846.01.01	47.1	54.5	93.5	55.1	72.9

Visuelle Kontrolle
Visual inspection
Inspeção visual☒
OK

ASTM E10

Härte
Hardness
Dureza190
[HB]

ASTM A262 Practice E

Korrosionsbeständigkeit
IC Test

Corrosão Intermetálica

☒
OKWärmebehandlung
Heat treatment
Tratamento térmico

Annealed Quenched 1800 °F (1080 °C)

(water quenched)

ASTM A484
Maßkontrolle
Dimensional inspection
Inspeção dimensional☒
OK

ASTM E112

Korngröße
Grain size
Tamanho de grão

9

Verwechslungsprüfung
Test of identity
Teste de identificação☒
OKMikroskopische Untersuchung
Macrographic testMaterial free from
segregation defects.☒
OKWerkstoffverständiger
Quality Control Representative
Inspector de Qualidade

N30587

Nuno Silva (Q-NS)

Bollinghaus Steel, SA

Beimertungen / Remarks / Observações
Country of origin: Portugal. No weld repair done.
Material is free of mercury and radiation contamination.

Hiermit bestätigen wir, dass das Material der oben genannten Spezifikation entspricht.
We confirm that this material meets the specification according to the mentioned standards.
Confirmamos que este material respeita as especificações de acordo com as normas referidas.



POINTE-CLAIRE / GREEN VALLEY
STEEL GROUP INC.

Cert Number 608
Test Reference 6547

04/10/2016

Issued from
Distribution Ader Pointe-Claire
Pointe-Claire Blvd
71 Hymus Boulevard
Pointe-Claire, QC H9R 1E2

Sold To:
Ship To:

Customer 11734/0
Our Order 3736-1-1

Your Order
Packing List

Reference
MON-63117 (21/12/2015)
2176-4 (08/01/2016)
Product Information

COLD ROLLED SHEET COMMERCIAL
0.0476" Nom x 48" x 96"
Part CRS 18 GA 48 X96
Shipped Heats 152C04272

Heat
152C04272

Tag
7657A

Pos
30

LBS
1,820

DAS
9
9-89
161212

Chemical Composition

C	Mn	P	S	Si	Al	Cr	N
0.03	0.20	0.013	0.005	0.01	0.04	0.001	0.001

Physical Tests

Yield	Ult Tensile	Elongation
26,420 PSI	41,000 PSI	24%

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: H304B0.250x.500
 DATE: 16-12-12

PO / BATCH NO.: _____

MATERIAL CERT REC'D: _____
 QUANTITY RECEIVED: _____
 QUANTITY INSPECTED: _____
 QUANTITY REJECTED: _____

THICKNESS ORDERED: _____
 THICKNESS RECEIVED: _____
 SHEET SIZE ORDERED: _____
 SHEET SIZE RECEIVED: _____

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	<input checked="" type="radio"/> N	
CORRECT FINISH	<input checked="" type="radio"/> Y	N	
CORROSION	Y	<input checked="" type="radio"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="radio"/> Y	N	
CORRECT MATERIAL	<input checked="" type="radio"/> Y	N	
CORRECT THICKNESS	<input checked="" type="radio"/> Y	N	
PHOTO REQUIRED	Y	<input checked="" type="radio"/> N	
CORRECT MATERIAL	<input checked="" type="radio"/> Y	N	KSTM 0276
CORRECT REF # TO LINK CERT	<input checked="" type="radio"/> Y	N	HT # 56900655
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="radio"/> Y	N	
CORRECT M# ON THE MATERIAL	<input checked="" type="radio"/> Y	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	<input checked="" type="radio"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	<input checked="" type="radio"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING	HRC	HRB	DUR A	DUR D	

testers located in the Quality Office

QC 18 INSPECTION	DAS 9	ENGINEERING SIGNOFF (if required)
INSPECTED BY: _____	9-89	SIGNED OFF BY: _____
DATE: <u>16-12-12</u>		DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M10105186A
DATE: 16-12-12

PO / BATCH NO.: P034493/M13340

MATERIAL CERT REC'D: yes
QUANTITY RECEIVED: 64' 39/16
QUANTITY INSPECTED: 64' 39/16
QUANTITY REJECTED: _____

THICKNESS ORDERED: 13 GA
THICKNESS RECEIVED: .043"
SHEET SIZE ORDERED: 4'x8'
SHEET SIZE RECEIVED: 4'x8'

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	<input checked="" type="radio"/> N	
CORRECT FINISH	<input checked="" type="radio"/> Y	N	
CORROSION	Y	<input checked="" type="radio"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="radio"/> Y	N	
CORRECT MATERIAL	<input checked="" type="radio"/> Y	N	
CORRECT THICKNESS	<input checked="" type="radio"/> Y	N	
PHOTO REQUIRED	Y	<input checked="" type="radio"/> N	
CORRECT MATERIAL	<input checked="" type="radio"/> Y	N	
CORRECT REF # TO LINK CERT	<input checked="" type="radio"/> Y	N	<u>HY#1520422</u>
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="radio"/> Y	N	
CORRECT M# ON THE MATERIAL	<input checked="" type="radio"/> Y	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	<input checked="" type="radio"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	<input checked="" type="radio"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D	
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)	
INSPECTED BY: <u>9</u>	SIGNED OFF BY: _____		
DATE: <u>16-12-12</u>	DATE: _____		

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO34493**

Purchase Order Date 12/1/2016 1:28:23 PM

PO Print Date 12/1/2016

Page Number 1 of 2

Order From :

VC-MET002

METAUX SOLUTIONS
2625 BOUL JACQUES-CARTIER EST
LONGUEUIL, QC J4N 1L7
CA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

E-MAILED

DEC 01 2016

Contact Name

Vendor Phone 800 558 8858

Ship To Contact

Ship To Phone

Ship Via: Journey Freight collect

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

CAD

FOB

Destination-Collect

Line Nbr	Reference Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
	Line Comments		Promise Date				
	Delivery Comments						
2	M304B0.250x0.500 DAS 9 9-89	304 BAR .250 x .500	12/7/2016 Yes 12/7/2016		120.00 f 133-33	\$4.25	\$510.00
	MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS AS PER ASTM A276 OR ASTM A240						
	NOTE: AISI 303 NOT ACCEPTABLE						
Line Total:							\$510.00
3	M1010S18GA DAS 9 9-89	1010/1025 SHEET .048	12/7/2016 Yes 12/7/2016		64.00 sf	\$3.85	\$246.40
	MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A1008 OR CSA G40-21, 38W/44W/50W/60W/70W MINIMUM YIELD TENSILE STRENGTH = 28KSI MINIMUM ULTIMATE TENSILE STRENGTH = 42 KSI COLD ROLLED						
Line Total:							\$246.40

Note:

12/1/2016



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO34493

Purchase Order Date 12/1/2016 1:28:23 PM

PO Print Date 12/1/2016

Page Number 2 of 2

Order From :

VC-MET002

Ship To : DART AEROSPACE LTD

METAUX SOLUTIONS
2625 BOUL JACQUES-CARTIER EST
LONGUEUIL, QC J4N 1L7
CA

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone 800 558 8858

Ship To Contact

Ship To Phone

Ship Via: Journey Freight collect

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax # 10127-2607

Terms Net 30

Currency CAD

FOB Destination-Collect

4	71401-45	procurement quality clauses	12/7/2016	1.00	\$0.00	\$0.00
---	----------	-----------------------------	-----------	------	--------	--------

No

Procurement Quality Clauses

12/7/2016

A005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable)

A026 certification of material conformance

A041 quality management system

A042 dart notification by supplier

A043 retention of quality documents

M174PH-H900R0.750

12/8/2016

12.00

\$68.90

\$826.81

f

12/8/2016

MATERIAL: 17-4 PH COND. H900

AS PER AMS 5643

NOTE: METAUX SOLUTION WILL SEND MATERIAL TO METCOR TO HEAT TREAT H900

FINISH:

HEAT TREAT TO COND H900

FTY IN EXCESS OF 170KSI

FTU IN EXCESS OF 190KSI

PER AMS2759/3

DETAIL C OF C REQUIRED

Line Total: \$826.81

PO Total: \$1,583.21

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr: 1

Change Date: 12/1/2016